



SNOWMOBILE TRAILERS

7 Models to Choose From!




Shown with optional

- Two-Tone Metal Treatment
- Series 14 Aluminum Rims
- Fun is standard, but the snowmobile is optional!

ARTEL Snow FT
Entry Level Snowmobile Trailer

ARTEL Snow FT - Aluminum Frame, Flat Top, Entry Level


Shown is a 7' x 17' Indigo Blue ARTEL Snow FT



ART Snow RT - 7' Wide, Aluminum Frame, Round Top

Bright Aluminum
Nose Covering
Is Standard

Shown is a 7' X 25' ART Snow RT with
Optional Two Tone Metal Treatment,
Adjustable Hitch, and Side Access Doors



ART Snow FT - 7' Wide, Aluminum Frame, Flat Top

Shown is a 7' x 19' ART Snow FT with Optional Two-Tone Metal,
Salem Vents, Roof Vent, and Series 14 Wheels

Bright Aluminum
Nose Covering
Is Standard

16" Tall,
3/4" Thick
Engineered
Wood
Kickplates

Marine Jack
For Easy
Maneuverability


Optional
Salem Vents

Optional
Series 14
Wheels

3/4" Engineered
Wood Flooring


Standard LED
Marking Lights

16-1/2" LED Strip
Tail/Brake Lights
Are Standard!




ARSVT-RT - 8.5' Wide, Aluminum Deck Over Frame, Round Top


"Deck Over" Design
Creates a Completely
Flat Interior Floor with
NO Wheel Wells!



ARSVT-FT - 8.5' Wide, Aluminum Deck Over Frame, Flat Top



RSVT - 7' or 8.5' Wide, Steel Frame, Round Top



RSVT-FT - 7' Wide, Steel Frame, Flat Top



Shown is a Cargo Green RSVT-FT 7' x 19"

Toll Free: (877) 283-7260

51790 County Road 39 • Middlebury, IN 46540

www.RCTrailers.com

Note: Specifications subject to change without notice. Please verify current specifications with your dealer. Thank you!



SNOWMOBILE TRAILERS

SNOWMOBILE TRAILER MODEL GUIDE


MODEL	DESCRIPTION	FRAME	ROOF STYLE	WIDTHS
ALUMINUM FRAME				
ARTEL Snow FT	Snowmobile Trailer, Entry Level	Aluminum	Flat Top	7'
ART Snow RT	Snowmobile Trailer	Aluminum	Round Top	7'
ART Snow FT	Snowmobile Trailer	Aluminum	Flat Top	7'
ARSVT-RT	Snowmobile Trailer	Aluminum	Round Top	8.5'*
ARSVT-FT	Snowmobile Trailer	Aluminum	Flat Top	8.5'*
STEEL FRAME				
RSVT	Snowmobile Trailer	Steel	Round Top	7', 8.5'
RSVT-FT	Snowmobile Trailer	Steel	Flat Top	7'

* 8.5' wide trailers are a "Deck Over" frame design so there are NO wheel wells inside of the trailer.


SIZE AND AXLE COMBINATIONS

MODEL	ARTEL SNOW FT		ART SNOW RT	ART SNOW FT	ARSVT-RT	ARSVT-FT	RSVT		RSVT-FT
AXLE	SINGLE 3,500 LB.	TANDEM 3,500 LB.	TANDEM 3,500 LB.	TANDEM 3,500 LB.	TANDEM 3,500 LB.	TANDEM 3,500 LB.	TANDEM 3,500 LB.	TRIPLE 3,500 LB.	TANDEM 3,500 LB.
7' x 17'	•	•	•	•	•	•			
7' x 19'		•	•	•	•	•	•		•
7' x 21'		•	•	•	•	•	•		•
7' x 23'		•	•	•	•	•	•		•
7' x 25'		•	•	•	•	•	•		•
7' x 27'		•	•	•	•	•	•		•
7' x 29'		•	•	•			•		•
8.5' x 17'							•		
8.5' x 19'							•		
8.5' x 21'							•		
8.5' x 23'							•		
8.5' x 25'							•		
8.5' x 27'							•		
8.5' x 29'								•	
8.5' x 31'								•	
8.5' x 33'								•	


Standard Colors



Metallic Colors



Extra Cost Colors



Member National Association
of Trailer Manufacturers



See your dealer
for details!

STANDARDS AND SPECIFICATIONS

	ARTEL Snow FT	ART Snow RT	ART Snow FT	ARSVT-RT	ARSVT-FT	RSVT	RSVT-FT
Hitch							
	Aluminum Frame					Steel Frame	
2-5/16" Coupler With Safety Chains	•	•	•	•	•	•	•
Coupler Jack - 2,000 lbs.		•		•	•	•	•
Swivel Jack - 1,200 lbs.	•		•				
3rd Member Tongue	•	•	•	•	•	•	•
Axles, Brakes, Tires, and Rims							
Standard Axle Type	Spring ^{1,2}	Torsion	Spring	Torsion	Torsion	Torsion	Spring
Electric Brakes	•	•	•	•	•	•	•
ST205/75R15 "C" Rated Radial Tires w/White Rims	•	•	•	•		7' Wides	7' Wides
ST205/75R14 "C" Rated Radial Tires w/White Rims				•	•	8.5' Wides	8.5' Wides
Frame							
Frame Construction	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Steel	Steel
5' Wedge	•	•	•	•	•	•	•
2" x 3" Aluminum Tube Frame			SAE Models				
2" x 4" Aluminum Tube Frame	•						
2" x 5" Double Hollow Aluminum Tube Frame		•	TA2 Models	•	•		
2" x 6" Steel Tube						•	•
Floor Spacing (on-center)	24" ³	24"	24" ³	24" ³	24"	24" ³	24"
Wall Spacing (on-center)	24"	16"	16"	16"	16"	16"	24"
Roof Spacing (on-center)	16"	16"	16"	16"	16"	24"	24"
Weight Distribution Brackets		•		•	•	•	•
Beavertail					•		
Doors							
Front Ramp Door w/Recessed Camlock, Spring Assist	Without Flap						
Rear Ramp Door w/Recessed Camlock, Spring Assist	Without Flap						
Front Ramp Door, w/Barlock, Spring Assist		Without Flap	Without Flap	Without Flap	Without Flap	With Flap	With Flap
Rear Ramp Door, w/Barlock, Spring Assist		Without Flap	With Flap	With Flap	Without Flap	With Flap	With Flap
32" Camlock Door , Curbside	•	•	•	With Step	•	w/Pull Out Step	
12" x 12" Access Doors						•	•
Ski Guide	Installed	Ship loose	Installed	Ship Loose	Ship Loose	Ship Loose	
Interior							
3/4" Engineered Wood Flooring	•	•	•	*	•	•	•
Interior Wall Finish	Open	Open	Open	5.2mm White	5.2mm White	5.2mm White	3/8" Plywood
Interior Wall Kickplate	12" Tall Wood ⁴	16" Tall Wood ⁴	16" Tall Wood ⁴	12" Tall ATP	12" Tall ATP	12" Tall ATP	
(9) Rope Ties (shipped loose)		•	•				
(8) Heavy Duty D-Rings				•	•	•	
White Vinyl Ceiling				•	•	•	
Interior Height	72"	72"	72"	72"	72"	72"	72"
Exterior							
.030 Exterior Metal	•	•	•	•	•	•	•
Roof	1 pc Aluminum	1 pc Aluminum	1 pc Aluminum	1 pc Aluminum	1 pc Aluminum	Steel	Steel
ATP Stoneguard	12" Tall	24" Tall	12" Tall	24"	24" Tall	24" Tall	24" Tall
3" Lower Exterior Trim	•	•	•	•	•		•
3" Exterior Top Trim	•		•		•		•
Bright Aluminum on Front Wedge	•	•	ATP	•	•	•	•
Bright Aluminum Rear Hoop		•					
Screwless Taped Sidewalls	•						
Fiberglass Cap		•		•		•	
.080 Roof Wrap		•		•		•	
(1) Roof Vent		•	•	•	•	•	Side Vents
Electrical							
LED Tail Lights, Brake Lights, and Marking Lights	•	•	•	•	•	•	•
7- Way Plug, Breakaway Box, Battery and Switch	•	•	•	•	•	•	•
(1) 12-Volt Porch Light on Curbside Door				•	•	•	•
12-Volt Dome Lights	1	2	1	2	2	2	2

¹ -- Torsion axles not available ³ -- 16" spacing on TA3 axles
² -- 5,200 lb. axles not available ⁴ -- Engineered Wood



POPULAR OPTIONS

E-TRACK AND CLIPS

E-Track gives you maximum flexibility for the placement of your snowmobiles and any other gear that you may haul in the off season.

Steel E-Track shown. Aluminum E-Track is available for aluminum trailers.



HEAVY DUTY D-RINGS

Our Heavy Duty D-Rings are super strong with a 5,000 lb. rating.

The number of D-Rings and locations can be specified by you when you order your trailer.



ROOF VENTS

Roof vents come in powered and non-powered versions. Shown is the "Fantastic" 12-Volt fan, complete with rain sensor, thermostat and directional flow control!



RECESSED SLIDE TRACK AND SKI BARS

Quickly secure your snowmobile with Recessed Slide Track and Ski Bars!

Note: Recessed Track is available only on aluminum trailers.



FURNACE

Laugh at the cold weather as your gas furnace keeps you nice and warm!



BOOT WARMER



Warm your boots up between runs with our custom made boot warmer! Note: Furnace option required!

OVERHEAD CABINETS



Great for helmets and other gear!

WICKED WHEELS



Aluminum Mod



Series 14

Your Professional RC Trailers Dealer is: